

AF2000 INVERTED MARKETING PAINT

WATER & SOLVENT BASED

CERTIFICATION

TECHNICAL DATA



FOR INSTALL SUPPORT
sales@allfasteners.com



FOR SPECIFICATION SUPPORT
certs@allfasteners.com



FOR CUSTOMER SUPPORT
888.859.6060





AF2000 INVERTED MARKING PAINT

WATER & SOLVENT BASED

AF2000 Water Based Inverted Marking Paint is a fast drying paint designed to be sprayed in an inverted position. Uses a patented technology to cut the environmental impact in half (as compared to standard solvent based marking paint). Produces vivid marks, does not clog, and is safe for grass. Meets APWA color standard and can be sprayed by hand or with a marking gun/marking wand.

AF2000 Solvent Based Inverted Marking Paint is a fast drying paint designed to be sprayed in an inverted position. Produces vivid marks, does not clog, and is safe for grass. The solvent based formulation works well in low temperatures. Meets APWA color standards and is VOC compliant. May be spray by hand or with a marking gun/marking wand.



O₂ Patented Technology



KEY BENEFITS - WATER BASED

- Meets APWA Standard Colors
- Non-Clogging
- Lead Free
- Fast Dry and Safe on Grass
- Easy Shake Up
- Water Based

KEY BENEFITS - SOLVENT BASED

- Meets APWA Standard Colors
- Non-Clogging
- Lead Free
- Fast Dry and Safe on Grass
- Easy Shake Up
- Solvent Based

SUGGESTED USES - WATER BASED

- Utility Marking
- Golf Courses
- Landscaping
- Construction Sites
- Surveying
- Mining

SUGGESTED USES - SOLVENT BASED

- Utility Marking
- Golf Courses
- Landscaping
- Construction Sites
- Surveying
- Mining

PACKAGING - WATER BASED

CANS PER CASE:	12
SHIPPING WT:	20lbs.
CONTAINER:	20 fluid ounce can
LABEL WT:	17 ounces (454g)
HAZARD CLASS:	2.1
SHIPPING CLASSIFICATION:	Consumer Commodity ORM-D, UN 1950

**AF2000 INVERTED MARKING PAINT**

WATER & SOLVENT BASED

PACKAGING - SOLVENT BASED

CANS PER CASE:	12
SHIPPING WT:	20lbs.
CONTAINER:	20 fluid ounce can
LABEL WT:	17 ounces (454g)
HAZARD CLASS:	2.1
SHIPPING CLASSIFICATION:	Consumer Commodity ORM-D, UN 1950

PHYSICAL PROPERTIES**TABLE 1: PHYSICAL PROPERTIES OF AF2000 INVERTED MARKING PAINT WATER BASED**

FLAMMABILITY	"Flammable"
FLASH POINT	-4°F
SPECIFIC GRAVITY	0.73
SOLIDS CONTENT	~16%
MIR VALUE	~0.48, cannot exceed 1.20
HAPS CONTENT	<1%
STORAGE TEMP.	40-100°F
APPLICATION TEMP.	50-90°F
DURABILITY	Good
ABRASION RESISTANCE	Good
RESIN SYSTEM	V.T. Alkyd
SHELF LIFE	Guaranteed for 2 years
FREEZE/THAW^Δ	Up to 7 times without harm
DRY TIME*	To touch; 15 minutes
GLOSS**	Flat; <15

^Δ DO NOT warehouse in subfreezing temperatures.

* At 72°F, 50 % humidity, 1.5 mil thickness.

** As measured on a 60° gloss meter.

**AF2000 INVERTED MARKING PAINT**

WATER & SOLVENT BASED

PHYSICAL PROPERTIES**TABLE 2: PHYSICAL PROPERTIES OF AF2000 INVERTED MARKING PAINT SOLVENT BASED**

COVERAGE	Up to 500 linear feet
CLEAN UP	Paint or laquer thinner
FLAMMABILITY	"Extremely flammable"
FLASH POINT	-4°F
SPECIFIC GRAVITY	0.80
SOLIDS CONTENT	36%
MIR VALUE	0.82, cannot exceed 0.85
HAPS CONTENT	0
STORAGE TEMP.	40-90°F
APPLICATION TEMP.	50-100°F
RESIN SYSTEM	V.T. Alkyd
SHELF LIFE	Guaranteed for 2 years
DRY TIME*	To touch; 15 minutes
GLOSS**	Flat; <15

* At 72°F, 50 % humidity, 1.5 mil thickness.

** As measured on a 60° gloss meter.

ORDERING INFORMATION**TABLE 3: ORDERING INFORMATION OF AF2000 INVERTED MARKING PAINT WATER BASED**

PART NUMBER	DESCRIPTION	COLOR	SIZE	QTY/BOX
12AFBL17	AF2000 Marking Paint	Fluorescent Blue	15oz	12
12AFGR17	AF2000 Marking Paint	Fluorescent Green	15oz	12
12AFOR17	AF2000 Marking Paint	Fluorescent Orange	15oz	12
12AFPI17	AF2000 Marking Paint	Fluorescent Pink	15oz	12
14AFRE17	AF2000 Marking Paint	Fluorescent Red	15oz	12
12ASWH17	AF2000 Marking Paint	Standard APWA White	15oz	12
12ASYE17	AF2000 Marking Paint	Standard APWA Utility Yellow	15oz	12
12ASBK17	AF2000 Marking Paint	Asphalt Black	15oz	12
12ASRE17	AF2000 Marking Paint	Standard APWA Red	15oz	12
12HVE17	AF2000 Marking Paint	Hi-Vis Yellow	20oz	12

TABLE 4: ORDERING INFORMATION OF AF2000 INVERTED MARKING PAINT SOLVENT BASED

PART NUMBER	DESCRIPTION	COLOR	SIZE	QTY/BOX
12SVRE17	AF2000 Marking Paint	Fluorescent Red	17oz	12
12ASCL20	AF2000 Marking Paint	Clear Chalk Line Saver	15oz	12